Molecular Brain Research, 15 (1992) 361–363
Elsevier Science Publishers B.V.

Author Index

Abbott, L.C., see Austin, M.C. (15) 227
Alcántara, R., Casado, M., Olivares, L., Giménez, C. and Aragón, C.
L-Glutamate transporter derived from mRNAs of primary glial cultures: expression in *Xenopus laevis* oocytes (15) 167
Aragón, C., see Alcántara, R. (15) 167
Araki, T., Kiyama, H. and Tohyama, M.
The $GABA_A$ receptor γ_1 subunit is expressed by distinct neuronal populations (15) 121
Arena, J.P., Liu, K.K., Paress, P.S., Schaeffer, J.M. and Cully, D.F.
Expression of a glutamate-activated chloride current in *Xenopus* oocytes injected with *Caenorhabditis elegans* RNA: evidence for modulation by avermectin (15) 339
Armstrong, D.M., see Hayes, R.C. (15) 291
Austin, M.C., Schultzberg, M., Abbott, L.C., Montpied, P., Evers, J.R., Paul, S.M. and Crawley, J.N.
Expression of tyrosine hydroxylase in cerebellar Purkinje neurons of the mutant tottering and leaner mouse (15) 227

Baccichet, A., see Poirier, J. (15) 263
Balthazart, J., see Harada, N. (15) 19
Barnett, N.L., see Osborne, N.N. (15) 108
Berry, R.W., see Redman, R.S. (15) 216
Bierer, L., see Johnson, G. (15) 319
Bloch, B., see Jaber, M. (15) 189
Boado, R.J., see Farrell, C.R. (15) 221

Cain, C.J., see Rosen, J.B. (15) 247
Carlson, R.O., see Martin, D.M. (15) 241
Carswell, S., Hoffman, E.K., Clopton-Hartpence, K., Wilcox, H.M. and Lewis, M.E.
Induction of NGF by isoproterenol, 4-methylcatechol and serum occurs by three distinct mechanisms (15) 145
Cartwright, M., Martin, S., D'Mello, S. and Heinrich, G.
The human nerve growth factor gene: structure of the promoter region and expression in L929 fibroblasts (15) 67
Casado, M., see Alcántara, R. (15) 167
Chartrel, N., see Tranchand Bunel, D. (15) 1
Chen, L.-C., see Lee, V.M.-Y. (15) 76
Chua Jr., S.C., see Galbraith, R.A. (15) 298
Clemens, J.A., see May, P.C. (15) 33
Clopton-Hartpence, K., see Carswell, S. (15) 145
Conlon, J.M., see Tranchand Bunel, D. (15) 1
Crawley, J.N., see Austin, M.C. (15) 227
Cully, D.F., see Arena, J.P. (15) 339

Dea, D., see Poirier, J. (15) 263
D'Mello, S., see Cartwright, M. (15) 67
Dou, Y.-M., see Loring, R.H. (15) 113
Dragunow, M.
Axotomized medial septal–diagonal band neurons express Jun-like immunoreactivity (15) 141

Elder, G.A., Liang, Z., Lee, N., Friedrich Jr., V.L. and Lazzarini, R.A.
Novel DNA binding proteins participate in the regulation of human neurofilament H gene expression (15) 85
Elder, G.A., Liang, Z., Snyder, S.E. and Lazzarini, R.A.
Multiple nuclear factors interact with the promoter of the human neurofilament M gene (15) 99
Elder, G.A., see Lee, V.M.-Y. (15) 76
Emson, P.C., see Kadowaki, K. (15) 156
Evers, J.R., see Austin, M.C. (15) 227

Farrell, C.R., Boado, R.J. and Pardridge, W.M.
Enhanced GLUT1 glucose transporter and cytoskeleton gene expression in cultured bovine brain capillary endothelial cells after treatment with phorbol esters and serum (15) 221
Feldman, E.L., see Martin, D.M. (15) 241
Foidart, A., see Harada, N. (15) 19
Fournier, M.C., see Jaber, M. (15) 189
Frey, P., see Palacios, G. (15) 195
Friedrich Jr., V.L., see Elder, G.A. (15) 85
Friedrich Jr., V.L., see Lee, V.M.-Y. (15) 76
Furlong, T.J., Pierce, K.D., Selbie, L.A. and Shine, J.
Molecular characterization of a human brain adenosine A_2 receptor (15) 62
Fuson, K., see May, P.C. (15) 33

Galbraith, R.A., Chua Jr., S.C. and Kappas, A.
Hypothalamic mechanism for cobalt protoporphyrin-induced hypophagia and weight loss: inhibition of the feeding response to NPY (15) 298
Gale, K., see Riva, M.A. (15) 311
Gauthier, S., see Poirier, J. (15) 263
Giménez, C., see Alcántara, R. (15) 167
Gluckman, P.D., see Klempt, N.D. (15) 55
Goodenough, D.A., see Harris, A.L. (15) 269
Gotlib, J., see Johnson, G. (15) 319
Gundelfinger, E.D., see Lenz, S.E. (15) 133
Gunn, A.J., see Klempt, N.D. (15) 55
Guo, N. and Shaw, C.
Characterization and localization of glutathione binding sites on cultured astrocytes (15) 207

Harada, N., Yamada, K., Foidart, A. and Balthazart, J.
Regulation of aromatase cytochrome P-450 (estrogen synthetase) transcripts in the quail brain by testosterone (15) 19
Haroutunian, V., see Johnson, G. (15) 319
Harris, A.L., Walter, A., Paul, D., Goodenough, D.A. and Zimmerberg, J.
Ion channels in single bilayers induced by rat connexin32 (15) 269
Hayes, R.C., Wiley, R.G. and Armstrong, D.M.
Induction of nerve growth factor receptor ($p75^{NGFr}$) mRNA within hypoglossal motoneurons following axonal injury (15) 291
Heinrich, G., see Cartwright, M. (15) 67
Henschel, Y., see Lenz, S.E. (15) 133
Hermans, E., Maloteaux, J.-M. and Octave, J.-N.
Phospholipase C activation by neurotensin and neuromedin N in Chinese hamster ovary cells expressing the rat neurotensin receptor (15) 332
Hirota, S., Ito, A., Morii, E., Wanaka, A., Tohyama, M., Kitamura, Y. and Nomura, S.
Localization of mRNA for c-*kit* receptor and its ligand in the brain of adult rats: an analysis using in situ hybridization histochemistry (15) 47
Hirouchi, M., Ohkuma, S. and Kuriyama, K.
Muscimol-induced reduction of $GABA_A$ receptor α_1-subunit mRNA in primary cultured cerebral cortical neurons (15) 327
Hochstrasser, A.-C., see Joy, J.E. (15) 8
Hoffman, E.K., see Carswell, S. (15) 145
Hong, J.S., see Pennypacker, K.R. (15) 151
Huntley, G.W., Morrison, J.H., Prikhozhan, A. and Sealfon, S.C.
Localization of multiple dopamine receptor subtype mRNAs in human and monkey motor cortex and striatum (15) 181

Ito, A., see Hirota, S. (15) 47

Jaber, M., Fournier, M.C. and Bloch, B.
Reserpine treatment stimulates enkephalin and D_2 dopamine receptor gene expression in the rat striatum (15) 189
Joh, T.H., see Wessel, T.C. (15) 349
Johnson, G., Gotlib, J., Haroutunian, V., Bierer, L., Nairn, A.C., Merril, C. and Wallace, W.
Increased phosphorylation of elongation factor 2 in Alzheimer's disease (15) 319
Johnson, G.S., see Joy, J.E. (15) 8
Jones Jr., G.S., see Loring, R.H. (15) 113
Joy, J.E., Johnson, G.S., Lazar, T., Ralph, M.R., Hochstrasser, A.-C., Menaker, M. and Merril, C.R.
Protein differences in tau mutant hamsters: candidate clock proteins (15) 8

Kadowaki, K. and Emson, P.C.
Increase in galanin gene expression in locus coeruleus neurones of the rat following reserpine treatment (15) 156
Kalra, P.S., see Sahu, A. (15) 15
Kalra, S.P., see Sahu, A. (15) 15
Kappas, A., see Galbraith, R.A. (15) 298
Kilduff, T.S., see Sutin, E.L. (15) 281
Kimura, J., see Tanaka, S. (15) 303
Kitaguchi, N., see Tanaka, S. (15) 303
Kitamura, Y., see Hirota, S. (15) 47
Kiyama, H., see Araki, T. (15) 121
Klempt, M., see Klempt, N.D. (15) 55
Klempt, N.D., Klempt, M., Gunn, A.J., Singh, K. and Gluckman, P.D.
Expression of insulin-like growth factor-binding protein 2 (IGF-BP 2) following transient hypoxia-ischemia in the infant rat brain (15) 55
Kuriyama, K., see Hirouchi, M. (15) 327

Lane, W., see Loring, R.H. (15) 113
Lanius, R.A. and Shaw, C.
Characterization and regulation of a high affinity [^{3}H]CNQX labelled AMPA receptor in rat neocortex (15) 256
Lazar, T., see Joy, J.E. (15) 8
Lazzarini, R.A., see Elder, G.A. (15) 85
Lazzarini, R.A., see Elder, G.A. (15) 99
Lazzarini, R.A., see Lee, V.M.-Y. (15) 76
LeBlanc, A.C., Pringle, J., Lemieux, J., Poduslo, J.F. and Mezei, C.
Regulation of 2′,3′-cyclic nucleotide phosphodiesterase gene expression in experimental peripheral neuropathies (15) 40
Lee, N., see Elder, G.A. (15) 85
Lee, V.M.-Y., Elder, G.A., Chen, L.-C., Liang, Z., Snyder, S.E., Friedrich Jr., V.L. and Lazzarini, R.A.
Expression of human mid-sized neurofilament subunit in transgenic mice (15) 76
Lemieux, J., see LeBlanc, A.C. (15) 40
Lenz, S.E., Henschel, Y., Zopf, D., Voss, B. and Gundelfinger, E.D.
VILIP, a cognate protein of the retinal calcium binding proteins visinin and recoverin, is expressed in the developing chicken brain (15) 133
Lewis, M.E., see Carswell, S. (15) 145
Liang, Z., see Elder, G.A. (15) 85
Liang, Z., see Elder, G.A. (15) 99
Liang, Z., see Lee, V.M.-Y. (15) 76
Liu, K.K., see Arena, J.P. (15) 339
Liu, L., see Tanaka, S. (15) 303
Loring, R.H., Dou, Y.-M., Lane, W., Jones Jr., G.S. and Stevenson, K.J.
Aromatic trivalent arsenicals: covalent yet reversible reagents for the agonist binding site of nicotinic receptors (15) 113

Maloteaux, J.-M., see Hermans, E. (15) 332
Martin, D.M., Yee, D., Carlson, R.O. and Feldman, E.L.
Gene expression of the insulin-like growth factors and their receptors in human neuroblastoma cell lines (15) 241
Martin, S., see Cartwright, M. (15) 67
May, P.C., Robison, P., Fuson, K., Smalstig, B., Stephenson, D. and Clemens, J.A.
Sulfated glycoprotein-2 expression increases in rodent brain after transient global ischemia (15) 33
Menaker, M., see Joy, J.E. (15) 8
Mendelson, S.C., Morrison, C. and Quinn, J.P.
An NGF-inducible octamer binding protein activity in a C1300 neuroblastoma cell line (15) 174
Mengod, G., see Palacios, G. (15) 195
Merril, C., see Johnson, G. (15) 319
Merril, C.R., see Joy, J.E. (15) 8
Mezei, C., see LeBlanc, A.C. (15) 40
Mocchetti, I., see Riva, M.A. (15) 311
Montpied, P., see Austin, M.C. (15) 227
Morii, E., see Hirota, S. (15) 47
Morrison, C., see Mendelson, S.C. (15) 174
Morrison, J.H., see Huntley, G.W. (15) 181

Nairn, A.C., see Johnson, G. (15) 319
Nakamura, S., see Tanaka, S. (15) 303
Nomura, S., see Hirota, S. (15) 47

Octave, J.-N., see Hermans, E. (15) 332
Ohkuma, S., see Hirouchi, M. (15) 327
Olivares, L., see Alcántara, R. (15) 167
Osborne, N.N. and Barnett, N.L.
An intraocular injection of kainate induces expression of c-fos-like protein and activation of protein kinase C (α) in specific rabbit retinal neurones (15) 108

Palacios, G., Palacios, J.M., Mengod, G. and Frey, P.
β-Amyloid precursor protein localization in the Golgi apparatus in neurons and oligodendrocytes. An immunocytochemical structural and ultrastructural study in normal and axotomized neurons (15) 195
Palacios, J.M., see Palacios, G. (15) 195
Pardridge, W.M., see Farrell, C.R. (15) 221
Paress, P.S., see Arena, J.P. (15) 339
Paul, D., see Harris, A.L. (15) 269
Paul, S.M., see Austin, M.C. (15) 227
Pelletier, G., see Tong, Y. (15) 27
Pennypacker, K.R., Zhang, W.Q., Ye, H. and Hong, J.S.
Apomorphine induction of AP-1 DNA binding in the rat striatum after dopamine depletion (15) 151
Persico, A.M., see Vandenbergh, D.J. (15) 161
Pierce, K.D., see Furlong, T.J. (15) 62
Poduslo, J.F., see LeBlanc, A.C. (15) 40
Poirier, J., Dea, D., Baccichet, A. and Gauthier, S.
Modulation of γ-actin and α_1-tubulin expression by corticosterone during neuronal plasticity in the hippocampus (15) 263
Post, R.M., see Rosen, J.B. (15) 247
Prikhozhan, A., see Huntley, G.W. (15) 181
Pringle, J., see LeBlanc, A.C. (15) 40

Quinn, J.P., see Mendelson, S.C. (15) 174

Ralph, M.R., see Joy, J.E. (15) 8
Redman, R.S. and Berry, R.W.
ProELH-related peptides: influence on bag cell cAMP levels (15) 216
Riva, M.A., Gale, K. and Mocchetti, I.
Basic fibroblast growth factor mRNA increases in specific brain regions following convulsive seizures (15) 311
Robison, P., see May, P.C. (15) 33
Rosen, J.B., Cain, C.J., Weiss, S.R.B. and Post, R.M.
Alterations in mRNA of enkephalin, dynorphin and thyrotropin releasing hormone during amygdala kindling: an in situ hybridization study (15) 247

Sahu, A., White, J.D., Kalra, P.S. and Kalra, S.P.
Hypothalamic neuropeptide Y gene expression in rats on scheduled feeding regimen (15) 15
Sato, M., see Zhang, J.-H. (15) 171
Schaeffer, J.M., see Arena, J.P. (15) 339
Schultzberg, M., see Austin, M.C. (15) 227
Sealfon, S.C., see Huntley, G.W. (15) 181
Selbie, L.A., see Furlong, T.J. (15) 62
Shaw, C., see Guo, N. (15) 207
Shaw, C., see Lanius, R.A. (15) 256
Shine, J., see Furlong, T.J. (15) 62
Shiojiri, S., see Tanaka, S. (15) 303
Singh, K., see Klempt, N.D. (15) 55
Smalstig, B., see May, P.C. (15) 33
Snyder, S.E., see Elder, G.A. (15) 99
Snyder, S.E., see Lee, V.M.-Y. (15) 76
Stephenson, D., see May, P.C. (15) 33
Stevenson, K.J., see Loring, R.H. (15) 113
Sutin, E.L. and Kilduff, T.S.
Circadian and light-induced expression of immediate early gene mRNAs in the rat suprachiasmatic nucleus (15) 281

Takahashi, Y., see Tanaka, S. (15) 303
Tanaka, S., Liu, L., Kimura, J., Shiojiri, S., Takahashi, Y., Kitaguchi, N., Nakamura, S. and Ueda, K.
Age-related changes in the proportion of amyloid precursor protein mRNAs in Alzheimer's disease and other neurological disorders (15) 303
Tohyama, M., see Araki, T. (15) 121
Tohyama, M., see Hirota, S. (15) 47
Tohyama, M., see Zhang, J.-H. (15) 171
Tong, Y. and Pelletier, G.
Role of dopamine in the regulation of proopiomelanocortin (POMC) mRNA levels in the arcuate nucleus and pituitary gland of the female rat as studied by in situ hybridization (15) 27
Tonon, M.-C., see Tranchand Bunel, D. (15) 1
Tranchand Bunel, D., Conlon, J.M., Chartrel, N., Tonon, M.-C. and Vaudry, H.
Isolation and structural characterization of peptides related to α- and γ-melanocyte-stimulating hormone (MSH) from the frog brain (15) 1

Ueda, K., see Tanaka, S. (15) 303
Uhl, G.R., see Vandenbergh, D.J. (15) 161

Vandenbergh, D.J., Persico, A.M. and Uhl, G.R.
A human dopamine transporter cDNA predicts reduced glycosylation, displays a novel repetitive element and provides racially-dimorphic *Taq*I RFLPs (15) 161
Vaudry, H., see Tranchand Bunel, D. (15) 1
Voss, B., see Lenz, S.E. (15) 133

Wallace, W., see Johnson, G. (15) 319
Walter, A., see Harris, A.L. (15) 269
Wanaka, A., see Hirota, S. (15) 47
Weiss, S.R.B., see Rosen, J.B. (15) 247
Wessel, T.C. and Joh, T.H.
Parallel upregulation of catecholamine-synthesizing enzymes in rat brain and adrenal gland: effects of reserpine and correlation with immediate early gene expression (15) 349
White, J.D., see Sahu, A. (15) 15
Wilcox, H.M., see Carswell, S. (15) 145
Wiley, R.G., see Hayes, R.C. (15) 291

Yamada, K., see Harada, N. (15) 19
Ye, H., see Pennypacker, K.R. (15) 151
Yee, D., see Martin, D.M. (15) 241

Zhang, J.-H., Sato, M. and Tohyama, M.
Co-expression of the α_1 and β_2 subunit genes of the $GABA_A$ receptor in the magnocellular preoptic nucleus (15) 171
Zhang, W.Q., see Pennypacker, K.R. (15) 151
Zimmerberg, J., see Harris, A.L. (15) 269
Zopf, D., see Lenz, S.E. (15) 133